

A	B	C
---	---	---

FIG. 1




FIG. 1A




FIG. 1B




FIG. 1C




FIG. 2




FIG. 3A




FIG. 3B




FIG. 4





FIG. 5A





**FIG. 5B**




FIG. 5C

11/15




FIG. 6

12/15

*Step 710 : Idoc Implementation Guide*

```
BEGIN_SEGMENT E2EDK02
LEVEL 02
STATUS OPTIONAL
LOOPMIN 0000000001
LOOPMAX 0000000010
  BEGIN_FIELDS
  NAME_QUALF
  TEXT IDOC QUALIFIER REFERENCE DOCUMENT
  TYPE CHARACTER
  LENGTH 000003
  FIELD_POS 0001
  BYTE_FIRST 000064
  BYTE_LAST 000066
  VALUE 001
  VALUE_TEXT CUSTOMER PURCHASE ORDER

NAME BELNR
TEXT IDOC DOCUMENT NUMBER
TYPE CHARACTER
LENGTH 000035
FIELD_POS 0002
BYTE_FIRST 000067
BYTE_LAST 000101
```

**FIG. 7A-1**

## Step 720 : Idoc Implementation Guide as XML

```

<BEGIN_SEGMENT>E2EDK02</BEGIN_SEGMENT>
<LEVEL>02</LEVEL>
<STATUS>OPTIONAL</STATUS>
<LOOPMIN>0000000001</LOOPMIN>
<LOOPMAX>0000000010</LOOPMAX>
  <BEGIN_FIELDS/>
    <NAME>QUALF</NAME>
    <TEXT>IDOC qualifier reference document</TEXT>
    <TYPE>CHARACTER</TYPE>
    <LENGTH>000003</LENGTH>
    <FIELD_POS> 0001</FIELD_POS>
    <BYTE_FIRST>000064</BYTE_FIRST>
    <BYTE_LAST>000066</BYTE_LAST>
    <VALUE>001</VALUE>
    <VALUE_TEXT>Customer purchase order</VALUE_TEXT>

    <NAME>BELNR</NAME>
    <TEXT>IDOC document number</TEXT>
    <TYPE>CHARACTER</TYPE>
    <LENGTH>000035</LENGTH>
    <FIELD_POS>0002</FIELD_POS>
    <BYTE_FIRST>000067</BYTE_FIRST>
    <BYTE_LAST>000101</BYTE_LAST>

```

FIG. 7A-2

## Step 730: Idoc EDD

```

<RECORD NAME="E2EDK02" ACTIVE="yes" XMLTAG="E2EDK02" TAG="E2EDK02"
TAGPOSITION="0" MINOCCURENCE="0" MAXOCCURRENCE="10">
<ELEMENT NAME="QUALF" DESCRIPTION="IDOC qualifier reference document" ACTIVE="yes"
XMLTAG="QUALF" MINLENGTH="0" MAXLENGTH="3" OFFSET="63" REQUIRED="no"
JUSTIFICATION="left" DATATYPE="string"/>
<ELEMENT NAME="BELNR" DESCRIPTION="IDOC document number" ACTIVE="yes"
XMLTAG="BELNR" MINLENGTH="0" MAXLENGTH="35" OFFSET="66" REQUIRED="no"
JUSTIFICATION="left" DATATYPE="string"/>

```

## Step 740: Idoc Source Data

```

E2EDK02          0210000000003145844000011000000020014590012180
20001025082600

```

## Step 750: Idoc Intermediate XML (EDD output)

```

<E2EDK02>
  <QUALF>001</QUALF>
  <BELNR>4590012180</BELNR>

```

## Step 760: Idoc XSLT

```

<DocumentHeader>
  <xsl:for-each select="."/E2EDK02[./QUALF = '001']">
    <poNumber> <xsl:value-of select="./QUALF"/> </poNumber>
    <poNumber> <xsl:value-of select="./BELNR"/> </poNumber>
  </xsl:for-each>

```

## Step 770: Idoc Normalized XML

```

<DocumentHeader>
  <qualifier>001</qualifier>
  <poNumber>4590012180</poNumber>

```




FIG. 8